



H7N9 新疆コルラ市で患者 1 名との通報を受理 CHP

香港政府一站通 www.info.gov.hk 2018-01-12 18:45
 全球流感资讯网 www.flu.org.cn 2018-01-12 22:20 来源：中国卫生和计划生育委

香港衛生署衛生防護センター（以下 CHP）は、本日（**01月12日**）、国家衛生計生委から、**01月06～12**日の間に、新疆ウイグル自治区で新たに **H7N9** 烟インフルエンザ患者 1 名が見つかっていたとの通報を受け、市民に対し、どこにいようが、個人、食物、環境の衛生を保つようにと強く呼びかけた。

患者（FT#1591）は；

バインゴリン・モンゴル自治州コルラ市の**72歳男性**で、
01月10日に死亡していた。
 発症前に家禽との接触があった。

衛生防護センターのスポーツマンは「季節的な流行に鑑みると鳥インフルエンザウィルスの活動は冬場に活発化する。市民は家禽や小鳥、あるいはその糞便に触れぬようにし、活禽市場や農場には行くべきではなく、これによって鳥インフルへの感染を予防できるのだ」と語る。

当地においては、CHP が一連のモニタリングと予防管理措置を既に制定しており、これまでも警戒を怠らずに WHO や関連の衛生部門と綿密に協力し合い最新の状況をモニターしてきた。

CHP 入国地衛生処は、それぞれの入国地点で健康モニタリングを行なって来ており、赤外線熱センサーで香港に入る人々の体温査定をしてきている。疑い例が見つかった場合には、この患者は公立病院にすぐに転送してきている。

CHP 側は入出国ロビーへの健康教育ポスター掲出や放送を行ない、旅客の健康教育を実施すると同時に、旅行業界とその他のステークホルダに定期的な情報更新を行っている。

市民は、個人や手、食物と環境の衛生を保ち、家禽を処理する場合には以下のアドバイスに留意せねばならない。

- * 活禽や小鳥、動物或はその糞便に接触しないこと；
- * 活禽を購入する際は、生きたニワトリやその糞尿に触らないこと、その尾部を絶対に吹かないこと；
 ニワトリや鶏卵に触れた後は、メタノールと清水で徹底的に手洗い洗浄すること；
- * 鳥類及び鶏卵は卵黄と卵白が凝固するまで徹底的に加熱してから食用することとし、生タマゴや生卵が入っているソースを使わぬこと。家禽は徹底的に煮炊きすること。紅色の肉汁が流れ出る、骨髓が鮮紅色を呈している場合は、完全に火が通るまで再加熱すること；
- * 手洗いの励行：特に口や鼻或は目に触れる前や食物の処理、食前、トイレの後、エスカレータのベルトやエレベーターのボタンやドアノブなど公共のものに触れた後などには特にキチンと手を洗うこと；
 及び
- * もし発熱或は気道感染症の症状がある場合や病院やクリニックに行かねばならぬ場合、発熱或は気道症状のある患者を見舞わねばならない場合には必ずマスクを着用すること。

市民は衛生防護センターの専門サイトを閲覧できるので、より多くの情報を知ることができる：鳥インフルエンザ専門サイトや、鳥インフルエンザ週報、世界各地の鳥インフルエンザデータ及び影響のある地区、Facebook の専門頁及び YouTubeなどが含まれる。

完

CHP notified of human case of avian influenza A(H7N9) in Xinjiang

HKSAR www.info.gov.hk 2018-01-12 18:45
 Global Influenza Information Network www.flu.org.cn 2018-01-12 22:20 Source: China National Health and Family Planning Commission

The Centre for Health Protection (CHP) of the Department of Health is today (January 12) monitoring a notification from the National Health and Family Planning Commission (National HFPC) that an additional human case of avian influenza A(H7N9) was recorded from January 6 to 12 in Xinjiang Uygur Autonomous Region, and strongly urged the public to maintain strict personal, food and environmental hygiene both locally and during travel.

The patient (**FT#1591**) is:

Name: Not published
Age: 72 years old,
Gender: Male
Current Domicile: Kuerle City of Bayangolin Autonomous Region in Xinjiang
Exposure to the birds: Yes
Date of Diagnosis: **Someday between Jan. 6 and Jan. 12, 2018**
Date of Death: January 10, 2018
Date of Onset: No information
Current situation: No information

"Based on the seasonal pattern, the activity of avian influenza viruses is expected to increase in winter. The public should avoid contact with poultry, birds and their droppings and should not visit live poultry markets and farms to prevent avian influenza," a spokesman for the CHP said.

Travelers to the Mainland or other affected areas must avoid visiting wet markets, live poultry markets or farms. They should be alert to the presence of backyard poultry when visiting relatives and friends. They should also avoid purchasing live or freshly slaughtered poultry, and avoid touching poultry/birds or their droppings. They should strictly observe personal and hand hygiene when visiting any place with live poultry.

Travelers returning from affected areas should consult a doctor promptly if symptoms develop, and inform the doctor of their travel history for prompt diagnosis and treatment of potential diseases. It is essential to tell the doctor if they have seen any live poultry during travel, which may imply possible exposure to contaminated environments. This will enable the doctor to assess the possibility of avian influenza and arrange necessary investigations and appropriate treatment in a timely manner.

While local surveillance, prevention and control measures are in place, the CHP will remain vigilant and work closely with the World Health Organization and relevant health authorities to monitor the latest developments.

The CHP's Port Health Office conducts health surveillance measures at all boundary control points. Thermal imaging systems are in place for body temperature checks on inbound travellers. Suspected cases will be immediately referred to public hospitals for follow-up.

The display of posters and broadcasting of health messages in departure and arrival halls as health education for travelers is under way. The travel industry and other stakeholders are regularly updated on the latest information.

The public should maintain strict personal, hand, food and environmental hygiene and take heed of the advice below if handling poultry:

- Avoid touching poultry, birds, animals or their droppings;
- When buying live chickens, do not touch them and their droppings. Do not blow at their bottoms. Wash eggs with detergent if soiled with fecal matter and cook and consume them immediately. Always wash hands thoroughly with soap and water after handling chickens and eggs;
- Eggs should be cooked well until the white and yolk become firm. Do not eat raw eggs or dip cooked food into any sauce with raw eggs. Poultry should be cooked thoroughly. If there is pinkish juice running from the cooked poultry or the middle part of its bone is still red, the poultry should be cooked again until fully done;
- Wash hands frequently, especially before touching the mouth, nose or eyes, before handling food or eating, and after going to the toilet, touching public installations or equipment such as escalator handrails, elevator control panels or door knobs, or when hands are dirtied by respiratory secretions after coughing or sneezing; and
- Wear a mask if fever or respiratory symptoms develop, when going to a hospital or clinic, or while taking care of patients with fever or respiratory symptoms.

The public may visit the CHP's pages for more information: the [avian influenza page](#), the [weekly Avian Influenza Report](#), [global statistics and affected areas](#) of avian influenza, the [Facebook Page](#) and the [YouTube Channel](#).

<http://www.flu.org.cn/scn/news-19696.html>

<http://sc.isd.gov.hk/TuniS/www.info.gov.hk/gia/general/201801/12/P2018011200847.htm>

(English version)

<http://www.info.gov.hk/gia/general/201801/12/P2018011200849.htm?fontSize=1>

:::::::::: 以下は中国語原文 ::::::::::::

卫生防护中心获通报辽宁人类感染甲型禽流感（H7N9）个案

香港政府一站通 www.info.gov.hk 2018-01-12 18:45

全球流感资讯网 www.flu.org.cn 2018-01-12 22:20 来源：中国卫生和计划生育委

卫生署卫生防护中心今日（一月十二日）正监察国家卫生和计划生育委员会通报在一月六至十二日期间，新疆维吾尔自治区新增一宗人类感染甲型禽流感（H7N9）个案，并强烈呼吁市民，不论在本地或外游期间，应时刻保持个人、食物和环境卫生。

个案 (**FT#1591**) 涉及库尔勒市一名 72 岁男病人，于一月十日死亡。他发病前曾接触活家禽。

卫生防护中心发言人说：「基于季节流行情况，预期禽流感病毒的活跃程度会在冬季上升。市民应避免接触家禽、雀鸟或其粪便，不应到活禽市场和农场，以防感染禽流感。」

在本地，卫生防护中心已制定一系列监测及防控措施，并会一直保持警觉，与世界卫生组织及相关卫生部门紧密合作，监察最新发展。

卫生防护中心港口卫生处一直于各口岸执行健康监察措施，备有红外线热像仪对入境人士进行体温监测。若发现怀疑个案，会立即转介病人至公立医院跟进。

署方会继续在出入境大堂张贴海报及广播健康资讯，进行对旅客的健康教育，并向旅游业界和其他持份者定期更新资讯。市民应时刻保持个人、手部、食物和环境卫生，并在处理家禽时留意以下建议：

- 避免接触家禽、雀鸟、动物或其粪便；
- 购买活鸡时，切勿触摸活鸡和鸡粪，切勿吹其尾部。洗净沾有粪便的蛋，用洗涤剂辅助清洗，并立刻烹煮和进食。接触鸡及鸡蛋后，应用枧液和清水彻底洗手；
- 蛋要彻底煮熟，直至蛋黄及蛋白凝固，切勿食用生蛋或有生蛋的酱料。彻底煮熟家禽。如仍有粉红色肉汁流出，或骨骼仍呈鲜红，应重新烹煮至完全熟透；
- 经常洗手，尤其在触摸口、鼻或眼前、处理食物或进食前、如厕后、触摸公共物件如电梯扶手、升降机按钮或门柄后，或当手被呼吸道分泌物污染时，如咳嗽或打喷嚏后；及
- 若有发烧或呼吸道感染病征、要前往医院或诊所、要照顾有发烧或呼吸道病征的病人，均应戴上口罩。

市民可参阅卫生防护中心专题网页，了解更多资料：[禽流感专页](#)、[禽流感疫情周报](#)、世界各地的禽流感[统计数字及受影响地区](#)、[Facebook 专页](#)及[YouTube 频道](#)。

完

20180112A H7N9 新疆コルラ市で患者 1 名との通報を受理 CHP(香港政府)