



衛生福利部
Ministry of Health and Welfare
促進全民健康與福祉

オミクロン第3波は底打ち 先週は平均93例日：変異株は102例

衛生福利部

www.mohw.gov.tw

2023-04-20

來源：疾病管制署

台湾中央感染症指揮センター（CECC）は4月20日、台湾が3月20日に新制度実施後、先週（4月14日～4月20日）の一日当たりコロナ確診症例（合併症）数平均は、本土症例93例となり、先週の7日間（4月8日～4月13日）の日々86例と比較して僅かに上昇（約8%）。先週は日々13例が死亡したがこれも先週（4月8日～4月13日）の日々死亡者平均17例と若干の減少；死者中、99%に慢性疾患歴があり、63%は3回のワクチン接種未完了者、95%が60歳以上となっていた。届け出状況や医療リソースの使用状態、経口抗ウイルス薬の処方数および居住機構の陽性率（0.4%）などの指標を総合し、流行は低位に推移していると判断可能だとした。

CECCは、「先週検出されたオミクロン変異株は102症例であった。うち、本土症例の43例はBA.2.7.5型（32例）、BQ.1型（8例）、XBB型（XBB.1.5型2例を含む3例）；輸入症例の59例ではXBB型（23例のXBB.1.5型、11例のXBB.1.16型を含む44例）、BA.2.75型（14例）、BQ.1型（1例）となった。直近4週間計では、本土の主要ウイルス株は、BA.2.75型（68%）であるが、それに次ぐのがBQ.1型（16%）及びXBB型（15%）、で、引き続き注視してゆく。WHOは、BQ.1型やBQ.1.1型、BF.7型、BA.2.75.2型、CH.1.1型、XBB型及びXBF型等の変異株には、比較的強い感染力と適応力があるが、BA.5型次世代ウイルスには変異株に有効であり、世界的なXBB型及びその変異種が約77.1%を占め、うちXBB型が最多（47.9%）で、さらにXBB.1.16型（4.0%）及びXBB.1.9.1型（7.6%）の比率が上昇した。既存のエビデンスは重症化するリスクが明確に増加したことは示しておらず、国際的なウイルスの変異と流行を今後も厳重に監視するとしている。

CECCは、合併症と死亡した人の多くには慢性疾患の病歴があり、3回のワクチン接種を完了しておらず、合併症のリスクが高い高齢者などのハイリスクグループには、早急にワクチン接種及び早期の服薬を呼びかけるとともに、防疫措置の緩和後の流行への影響と変異株の変化を監視し続けるとしている。

指揮センターは、「防疫策は徐々に且つ着実に開放されているが、次世代ワクチンの追加接種がBQ.1型やBF.7型、XBB型など新興の変異株に対する保護力を上げる。安心して正常な日常生活に復帰するための「ワクチン+ワン」活動に一般市民が参加するようにと呼び掛けている。また、手指衛生や咳エチケットなどの良好な衛生週間を維持し続け、様々な流行防止規制への協力をしてほしい。更に、発熱や呼吸器症状がある時や高齢者或いは免疫力の低下している人の外出時、人が密集し適切なソーシャルディスタンスを取れない或いは歓喜の悪い場所や高齢者または免疫力の低下している人との濃厚接触時には、マスクを着用してご自分の健康を守るよう勧める」とした。

<https://www.cdc.gov.tw/Bulletin/Detail/tDwj244ZvoWWc0tLx6YqBw?typeid=9>

The third wave of the Omicron epidemic was at a low point, with an average of 93 new local cases of COVID-19 (complications) per day last week; and 102 new confirmed cases of Omicron subtype variants

Ministry of Health and Welfare
Department

www.mohw.gov.tw

2023-04-20

Source: Disease Control

The Central Epidemic Command Center announced today (Apr. 20) that since the implementation of the new system on Mar. 20 in China, an average of 93 local confirmed cases (complications) of COVID-19 were added every day last week (Apr. 14-Apr. 20). This was a slight increase (about 8%) compared with the daily average of 86 new cases in the previous week (Apr. 8-Apr. 13). Last week, there were an average of 13 new deaths per day. It is also slightly lower than the average daily death rate of 17 cases in the previous week (Apr. 8-Apr. 13); Among the death cases, 99% had a history of chronic diseases, 63% had not received three doses of vaccines, and 95% were over 60 years old. Based on comprehensive reporting trends, medical resource utilization, the number of oral antiviral drugs prescribed, and the

positive rate (0.4%) of residential institutions, the epidemic continues to show a downward trend.

The command center pointed out that 102 confirmed cases of Omicron subtype variant strains were newly detected last week. Among them, 43 local cases were 32 cases of BA.2.75, 8 cases of BQ.1, and 3 cases XBB (including 2 cases of XBB.1.5); The other 59 imported cases were 44 cases of XBB (including 23 cases of XBB.1.5 and 11 cases of XBB.1.16), 14 cases of BA.2.75, and 1 case of BQ.1. According to the total monitoring in the past four weeks, the local mainstream virus strain is still BA.2.75 (68%), followed by BQ.1 (16%) and XBB (15%), and continuous close observation is required.

The WHO stated that Mutant strains such as BQ.1, BQ.1.1, BF.7, BA.2.75.2, CH.1.1, XBB, and XBF have better transmission and adaptability, and must be closely monitored. The BA.5 next-generation vaccine is still protective against mutant strains, and the global XBB and its derivative mutant strains account for about 77.1%, of which XBB.1.5 is the most (47.9%). In addition, the proportion of XBB.1.16 (4.0%) and XBB.1.9.1 (7.6%) has increased. The existing evidence shows that the severity of the disease has not increased significantly, and the evolution and prevalence of international virus strains will continue to be closely monitored.

The command center stated that the national COVID-19 epidemic is still stable. Most of the complication and death cases had a history of chronic diseases and had not been vaccinated for 3 doses. It is recommended that the elderly and other high-risk groups for complications be vaccinated and take medication as soon as possible, and continue to monitor the impact on the epidemic and the changes in mutant strains after the loosening of epidemic prevention measures.

The command center once again appealed that the epidemic prevention is gradually opening up, and the next-generation vaccine booster is still effective against emerging mutant strains such as BQ.1, BF.7, and XBB. The public is invited to participate in the "Vaccine Plus One" activity to improve prevention and protection, and return to normal life with peace of mind. It is also reminded to continue to implement good hygiene habits such as hand hygiene and cough etiquette, and to cooperate with various epidemic prevention regulations. It is also recommended to wear a mask to protect your health when you have a fever or respiratory symptoms, when the elderly or immunocompromised go out, in crowded places where proper distance cannot be maintained or in poorly ventilated places, and when you are in close contact with the elderly or immunocompromised.

..... 以下是中国語原文

第三波 Omicron 疫情處低點，上週平均每日新增 93 例 COVID-19 本土個案(併發症)；另新增 102 例 Omicron 亞型變異株確定病例

衛生福利部 www.mohw.gov.tw 2023-04-20 來源： 疾病管制署

中央流行疫情指揮中心今(20)日公布國內自 3/20 新制實施後，上週(4/14-4/20)每日平均新增 93 例 COVID-19 本土確定病例(併發症)，較前一週(4/8-4/13)之每日平均新增 86 例微升(約 8%)。上週平均每日新增 13 例死亡，亦較再前一週(4/8-4/13)之每日死亡平均數 17 例略降；死亡個案中，99%具慢性病史、63%未打滿 3 劑疫苗、95%為 60 歲以上。綜合通報趨勢、醫療資源使用情形、口服抗病毒藥物開立數及住宿式機構陽性率(0.4%)等指標研判，疫情持續處於低點。

指揮中心指出，上週新增檢出 102 例 Omicron 亞型變異株確定病例。其中 43 例本土個案分別為 32 例 BA.2.75、8 例 BQ.1、3 例 XBB (含 2 例 XBB.1.5)；另 59 例境外移入分別為 44 例 XBB (含 23 例 XBB.1.5、11 例 XBB.1.16)、14 例 BA.2.75、14 例 BA.2.75 (重複しています!!)、1 例 BQ.1。近四週監測總計，本土主流病毒株仍為 BA.2.75 (68%)，其次為 BQ.1 (16%)及 XBB (15%)，須持續密切觀察。WHO 表示 BQ.1、BQ.1.1、BF.7、BA.2.75.2、CH.1.1、XBB 及 XBF 等變異株具較佳傳播力及適應力，BA.5 次世代疫苗對變異株仍具保護力，而全球 XBB 及其衍生變異株佔比約 77.1%，其中以 XBB.1.5 為多(47.9%)，另 XBB.1.16(4.0%)及 XBB.1.9.1(7.6%)佔比上升，現有證據顯示致疾病嚴重性未明顯增加，將持續密切監測國際間之病毒株演變與流行。

指揮中心說明，全國 COVID-19 疫情尚屬穩定。併發症及死亡個案多具慢性病史及未接種滿 3 劑疫苗，呼籲長者等併發症高風險族群疫苗接種與及早用藥，並持續監測防疫措施鬆綁後對疫情影響及變異株變化。

指揮中心再次呼籲，防疫逐漸穩健開放，接種次世代疫苗追加劑對 BQ.1、BF.7、XBB 等新興變異株仍具效力，請民眾一起參與「疫苗加一」活動，提升預防保護力，安心恢復正常生活。另亦提醒持續落實手部衛生及咳嗽禮節等衛生好習慣，配合各項防疫規範，並建議有發燒或呼吸道症狀、年長者或免疫低下者外出時、

於人潮聚集且無法保持適當距離或通風不良之場所、與年長者或免疫低下者密切接觸時，要戴口罩維護自身及他人健康。

20230420E オミクロン第3波は底打ち 先週は平均93例日(衛生福利部)